

Final Ink Filter

General Information

Inprinta Filter Code: 8069 - ●●●●●

Micron Rating

0005B	5µm
0015B	15µm
0025B	25µm
0040B	40µm

Description: Final Ink Filter

Overview

A final, or last chance filter, manufactured from stainless steel and is 100% chemically compatible to volatile inkjet materials. This fully welded 50mm filter gives excellent structural integrity for the filter mesh and effective removal of any remaining contaminants before they reach the printhead.

Technical Information

Filter Media:	Stainless steel mesh
Housing Material:	Stainless steel
Micron Rating:	5µm, 15µm, 25µm and 40µm
Dimensions:	Filter length: 50mm (1.98") Filter width: 12mm (0.47") 19cm ² (2.95in ²)
Filter Area:	19cm ² (2.95in ²)
Max Operating Pressure:	6bar (87psi)
Operating Temperature:	From 0°C to 50°C (32°F to 122°F)

Inprinta

Queensway, Stem Lane
New Milton, Hampshire
United Kingdom
BH25 5NN

T +44 (0)1425 612010
F +44 (0)1425 621886
E info@inprinta.com

301 Business Lane, Ashland
Virginia 23005
USA

T +1 804 550 1600
F +1 804 550 3262
E info@inprinta.com

www.inprinta.com

Inprinta is a registered trademark of Porvair plc.

© Copyright 2010. Inprinta. All rights reserved.

Whilst every effort has been made to ensure the accuracy of this document, due to continuous product development, the data contained is subject to constant revision and Inprinta reserves the right to change, alter or modify its contents.

Inprinta products are not the original, but are compatible parts and they are not produced by, or have been endorsed by the manufacturers specified. Inprinta is not associated with, nor represents any of the companies stated in Inprinta marketing material and literature. All other companies referenced herein are trademarks and/or registered trademarks of their respective companies.