

## Grid Filter

### General Information

**Inprinta Filter Code:** 8156

**Description:** Grid filter and o-ring

#### Overview

A small pre-head filter manufactured from stainless steel mesh. The filter comes complete with a compatible o-ring and is designed as a last chance filter giving excellent protection to the printhead.

### Technical Information

**Filter Media:** Stainless steel mesh

**Micron Rating:** 14µm

**Dimensions:** Disc diameter: 23mm (0.9")

Disc width: 2mm (0.08")

**Filter Area:** 4.2cm<sup>2</sup> (0.65in<sup>2</sup>)

**Max Operating Pressure:** 5bar (72.5psi)

**Operating Temperature:** From 0°C to 50°C (32°F to 122°F)

### Inprinta

Queensway, Stem Lane  
New Milton, Hampshire  
United Kingdom  
BH25 5NN

**T** +44 (0)1425 612010

**F** +44 (0)1425 621886

**E** [info@inprinta.com](mailto:info@inprinta.com)

301 Business Lane, Ashland  
Virginia 23005  
USA

**T** +1 804 550 1600

**F** +1 804 550 3262

**E** [info@inprinta.com](mailto:info@inprinta.com)

[www.inprinta.com](http://www.inprinta.com)

Inprinta is a registered trademark of Porvair plc.

© Copyright 2010. Inprinta. All rights reserved.

Whilst every effort has been made to ensure the accuracy of this document, due to continuous product development, the data contained is subject to constant revision and Inprinta reserves the right to change, alter or modify its contents.

Inprinta products are not the original, but are compatible parts and they are not produced by, or have been endorsed by the manufacturers specified. Inprinta is not associated with, nor represents any of the companies stated in Inprinta marketing material and literature. All other companies referenced herein are trademarks and/or registered trademarks of their respective companies.